

CERTIFICATE OF ELECTRONIC TRANSMISSION

I hereby certify that this correspondence for Patent No. 6,972,071 is being electronically transmitted to the U.S. Patent and Trademark Office, via EFS-WEB, on March 14, 2006

/Kevin G. Rooney/
Kevin G. Rooney, Reg. No. 36,330

March 14, 2006
Date

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: James S. Tyler
Patent No.: 6,972,071
Issue Date: December 6, 2005
Title: HIGH SPEED SYMMETRICAL PLASMA TREATMENT
Confirmation No.: 8221
Atty Docket No.: NOR-933A

Cincinnati, OH

March 14, 2006

Mail Stop M Fee
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

LETTER CALLING ATTENTION TO ERROR IN PATENT

It is respectfully requested that this letter calling attention to the following minor errors in this patent be made of record in the patent file:

Column 4, line 11 , after "embodiment" insert --of--.

Column 6, line 10, change "edge" to --edges--.

Column 11, line 1, after "treatment" insert --of--.

Column 12, line 9, change "wafts" to --watts--.

Column 13, line 60, change "Applicants" to --Applicant--.

Column 14, line 13, change both occurrences of "mtorr" to --mTorr--.

Column 14, line 18, change "mtorr" to --mTorr--.

Column 16, lines 33-34, delete "the control 304".

Column 16, line 44, delete the first occurrence of "to".

Column 16, line 49, change "that, either," to --that either--.

Column 18, line 6, change "uniformly" to --uniform--.

Column 18, line 38, change "exceeding" to --exceedingly--.

Column 18, line 61, change "applicants" to --Applicant--.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

/Kevin G. Rooney/

Kevin G. Rooney

Reg. No. 36,330

2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202
(513) 241-2324